

Aquatic Facilities

Mandatory Procedures to be Followed

Aquatic Facility Guidelines

- **Clean and disinfect frequently touched surfaces** and shared objects each time they are used to include lounge chairs, tabletops, pool noodles, and kickboards, door handles and surfaces of restrooms, handwashing stations, diaper-changing stations, and showers
- Ensure that all **water systems** (for example, drinking fountains, decorative fountains) are **safe to use** after a prolonged facility shutdown to minimize the risk of *Legionnaires' disease* and other diseases associated with water
- Bather load must be kept at 50% or 40 square feet per bather or less to allow for 6 ft. separation in the pool
- **Post a sign** at entry to the Aquatic Facility prohibiting entry for ill individuals and specifying the symptoms of COVID-19 as established by the CDC
- Keep all pool **furniture 6' apart**

Employee & Guest Guidelines

- **Screen all Aquatic Facility employees** for symptoms of COVID-19 prior to work for reopening and every day
- Keep **call-in logs for sick employees** to include name, date, symptoms and symptom onset. Require employees to stay home if symptomatic
- Employees must **wear face-coverings** whenever coming within 6' of each other or bathers
- Employees must **wash hands** with soap and water for 20 seconds prior to starting their shift and as often as necessary throughout the day.
- **Send home sick employees** immediately and enter in employee sick log
- Suspend all in and out of water activities including team sports that do not by design adhere to 6' social distancing until COVID-19 social distancing requirements lifted by Governor

Questions and Additional Guidance

Washoe County Health District	775.328.2434
City of Reno	Reno Direct at 775.334.INFO (4636) / RenoDirect@Reno.gov
City of Sparks	775.353.5555 / business@cityofsparks.us
Washoe County	Dial 3-1-1 or 775.328.2003 / Washoe311@washoecounty.us