

COVID-19 Epidemiology Surveillance Program MMWR Week #12 - 13, March 19 - April 1, 2023

Division of Epidemiology & Public Health Preparedness (EPHP) 775-328-2447

Adam Vazquez, MPH, COVID-19 Epidemiologist <u>AVazquez@washoecounty.gov</u>

Lissa Callahan, COVID-19 Statistician <u>LCallahan@washoecounty.gov</u>

Weekly Summary*

| Metrics | MMWR Week 12 | MMWR Week 13 |
|----------------------------------|--------------|--------------|
| Number of New Cases | 187 | 132 |
| New Cases per 100,000 Population | 36 | 27 |
| Number of New Breakthrough Cases | 149 | 110 |
| Hospitalizations** | 11 | 10 |
| Deaths** | 0 | 2 |

 Completed Primary Series of Vaccination Total through 4/3/2023: 313,854 persons

Key message(s)


- The number of cases reported in Washoe County decreased from 60 new cases per 100,000 population in MMWR week 7 to 27 new cases per 100,000 population in MMWR week 13.
- Only 32.4% of Washoe County's population has received a booster dose.
- Only 13.3% of Washoe County's population has received an updated (bivalent) booster dose.

^{*}For definition and specifics on metrics summarized, please refer to corresponding sections.

^{**}Note: hospitalization and death totals for each week are subject to change as new reports are received on a daily basis and are often delayed, causing underreporting in more recent MMWR weeks.

COVID-19 Case Information

Figure 1. Rate of New Cases Reported by MMWR Week, Washoe County, Nevada, and the United States, 2023




*Data source: https://data.cdc.gov/Public-Health-Surveillance/United-States-COVID-19-County-Level-of-Community-T/8396-v7yb, and https://data.cdc.gov/Public-Health-Surveillance/Weekly-COVID-19-County-Level-of-Community-Transmis/dt66-w6m6, data by date reported. Week 12 data are from 3/17/2023 – 3/23/2023. Week 13 data are from 3/24/2023 – 3/30/2023.

- In Washoe County, case counts decreased from 60 new cases per 100,000 population in MMWR week 7 to 36 and 27 new cases per 100,000 population in MMWR weeks 12 and 13, respectively.
- In Nevada, case counts decreased to 24 new cases per 100,000 population in MMWR week 13 from a ten-week high of 34 new cases per 100,000 population in MMWR week 6.
- In the United States, case counts increased to 53 new cases per 100,000 population in MMWR week 13 from 44 new cases per 100,000 population in MMWR week 12.

^{**}Data Source: https://nvhealthresponse.nv.gov/#covid-data-tracker, data by sample collection date.

[†]Data source: Internal, WCHD, data by date reported.

Figure 2. Rate of New Cases Reported by Age Group and MMWR Week, Washoe County, 2023



- The age group with the highest case rate during MMWR week 13 was the 18-29 age group with 38 new cases per 100,000 population.
- The age group with the lowest case rate during MMWR week 13 was the 0-17 age group with 6 new cases per 100,000 population. This was a decrease from 34 new cases per 100,000 population in MMWR week 6.




Figure 3. Rate of New Cases Reported by Race/Ethnicity* and MMWR Week, Washoe County, 2023

*Note: From MMWR week 4 to MMWR week 13, 4.3% of cases were recorded as "Declined to answer", "Multiple", "Other", or "Unknown" and rates per 100,000 population are unable to be calculated for those categories.

- In MMWR week 13, those who identified as American Indian/Alaska Native, Non-Hispanic had the highest rate of new cases at 42 new cases per 100,000 population. This was a decrease from 210 new cases per 100,000 population in MMWR week 12.
- In MMWR week 13, those who identified as Asian/Native Hawaiian/Other Pacific Islander, Non-Hispanic had the lowest rate of new cases per 100,000 population with 16 new cases per 100,000 population.

Hospitalizations, ICU Status, & Deaths

COVID-19 hospitalizations are defined as those hospitalized for greater than or equal to 24 hours and have a positive SARS-CoV-2 laboratory test.

COVID-19 deaths are defined as decedents who have had a positive PCR COVID-19 lab report ≤ 30 days from death or post-mortem. This includes deaths attributed to COVID-19 related illnesses and, if not specifically listed on death certificate, a positive PCR COVID-19 lab, dependent on the manner of death. See full definition in Glossary/Key Terms at the end of the report.

Table 1. Number and Percent of New Cases Reported by Age and Hospitalization Status, MMWR Weeks* 12 and 13, Washoe County, 2023

| | | | Age Group | | | | | | |
|------|----|----------------|-----------|-------|-------|-------|-------|--|--|
| | | | 0-17 | 18-29 | 30-49 | 50-64 | 65+ | | |
| | 12 | Total Cases | 16 | 27 | 50 | 34 | 54 | | |
| MMWR | 12 | % Hospitalized | 6.3% | 0.0% | 4.0% | 0.0% | 14.8% | | |
| Week | 13 | Total Cases | 6 | 34 | 35 | 29 | 28 | | |
| | | % Hospitalized | 0.0% | 2.9% | 5.7% | 3.4% | 21.4% | | |

^{*}Note: hospitalization totals for each week are subject to change as new reports are received on a daily basis and are often delayed, causing underreporting in more recent MMWR weeks.

- During MMWR week 12, the age group with the highest percentage of total cases resulting in hospitalization were those 65+ years old at 14.8% of cases hospitalized.
- During MMWR week 13, the age group with the highest percentage of total cases resulting in hospitalization were those 65+ years old.

Table 2. Number and Percentage of Cases Reported by Hospitalization and ICU Status by MMWR Week*, Washoe County, 2023

| MMWR | New | Hospitalized # % | | I | CU |
|------|-------|---------------------|-----|---|-----|
| Week | Cases | | | # | % |
| 4 | 187 | 12 | 6.4 | 1 | 0.5 |
| 5 | 220 | 19 | 8.6 | 0 | 0.0 |
| 6 | 241 | 15 | 6.2 | 2 | 0.8 |
| 7 | 300 | 27 | 9.0 | 2 | 0.7 |
| 8 | 228 | 22 | 9.6 | 2 | 0.9 |
| 9 | 174 | 14 | 8.0 | 2 | 1.1 |
| 10 | 198 | 15 | 7.6 | 0 | 0.0 |
| 11 | 157 | 15 | 9.6 | 0 | 0.0 |
| 12 | 181 | 11 | 6.1 | 1 | 0.6 |
| 13 | 132 | 10 | 7.6 | 2 | 1.5 |

^{*}Note: hospitalization and ICU totals for each week are subject to change as new reports are received on a daily basis and are often delayed, causing underreporting in more recent MMWR weeks.

Table 3. COVID-19 Deaths by Age Group and Time Period* of Death, Washoe County, 2020-2023

| Time Period | Total Deaths | 0-17 years | 18-29 years | 30-49 years | 50-64 years | 65+ years |
|-----------------------|-----------------|---------------|----------------|----------------|----------------|--------------|
| 2020 March - December | 510 | 1 | 2 | 31 | 85 | 391 |
| 2021 Total | 560 | 1 | 6 | 60 | 127 | 366 |
| 2022 Total | 248 | 0 | 2 | 14 | 36 | 196 |
| 2023 January | 5 | 0 | 0 | 0 | 1 | 4 |
| 2023 February | 6 | 0 | 0 | 0 | 0 | 6 |
| 2023 March | 6 | 0 | 0 | 0 | 0 | 6 |

^{*}Note: death totals are subject to change as new reports are received on a daily basis and are often delayed, causing underreporting in more recent months.

5 4 2 1 2 13 MMWR Week

Figure 4. Number of Deaths Occurring by MMWR Week*, Washoe County, 2023

*Note: death totals for each week are subject to change as new reports are received on a daily basis and are often delayed, causing underreporting in more recent MMWR weeks.


• At the time of publication, there have not been any deaths reported to have occurred during MMWR weeks 4, 8, and 12.

Breakthrough Cases

A breakthrough COVID-19 case is defined as a Washoe County resident who has SARS-CoV-2 PCR or antigen detected through laboratory testing 14 or more days after completing the primary series of an FDA-authorized COVID-19 vaccine, regardless of any additional vaccine doses.

Please see the CDC's webpage for details on what qualifies as "up to date": https://www.cdc.gov/coronavirus/2019-ncov/vaccines/stay-up-to-date.html.

Figure 5. Number of Cases by Vaccination Status and MMWR Week*, Washoe County, 2023



*Note: vaccination data for each week are subject to change as vaccinations are updated regularly and are often on a delay internally, causing underreporting in more recent MMWR weeks.

- During MMWR week 12, 31.5% (n = 57) of new cases were unvaccinated and 50.8% (n = 92) of new cases were not up to date on their vaccination, while 17.7% (n = 32) of new cases were up to date on their vaccination.
- During MMWR week 13, 31.1% (n = 41) of new cases were unvaccinated and 52.3% (n = 69) of new cases were not up to date on their vaccination, while 16.7% (n = 22) of new cases were up to date on their vaccination.

Table 4. Number and Percentage of Cases Reporting with Hospitalization and ICU by Vaccination Status and MMWR Week*, Washoe County, 2023

| | Al | l Cases | | Unvaccinated Cases | | | Breakthrough Cases | | | | |
|------|-------|--------------|-------|--------------------|------------|---|-----------------------|------|------------|---|-----------------------|
| MMWR | New | Total | Total | Hospi | talized | | ICU | Hosp | italized | | ICU |
| Week | Cases | Hospitalized | ICU | # | % ª | # | % ^ь | # | % ª | # | % ^ь |
| 4 | 187 | 12 | 1 | 4 | 33.3 | 1 | 100.0 | 8 | 66.7 | 0 | 0.0 |
| 5 | 220 | 19 | 0 | 7 | 36.8 | 0 | 0.0 | 12 | 63.2 | 0 | 0.0 |
| 6 | 241 | 15 | 2 | 6 | 40.0 | 0 | 0.0 | 9 | 60.0 | 2 | 100.0 |
| 7 | 300 | 27 | 2 | 9 | 33.3 | 0 | 0.0 | 18 | 66.7 | 2 | 100.0 |
| 8 | 228 | 22 | 2 | 7 | 31.8 | 0 | 0.0 | 15 | 68.2 | 2 | 100.0 |
| 9 | 174 | 14 | 2 | 3 | 21.4 | 0 | 0.0 | 11 | 78.6 | 2 | 100.0 |
| 10 | 198 | 15 | 0 | 6 | 40.0 | 0 | 0.0 | 9 | 60.0 | 0 | 0.0 |
| 11 | 157 | 15 | 0 | 7 | 46.7 | 0 | 0.0 | 8 | 53.3 | 0 | 0.0 |
| 12 | 181 | 11 | 1 | 5 | 45.5 | 0 | 0.0 | 6 | 54.5 | 1 | 100.0 |
| 13 | 132 | 10 | 2 | 4 | 40.0 | 0 | 0.0 | 6 | 60.0 | 2 | 100.0 |

^{*}Note: hospitalization and ICU totals for each week are subject to change as new reports are received on a daily basis and are often delayed, causing underreporting in more recent MMWR weeks.

^a Calculated as the percentage of Total Hospitalizations by vaccination status for the MMWR week.

^b Calculated as the percentage of Total ICU by vaccination status for the MMWR week.

Vaccinations

Current dose and vaccination totals and percentages for Washoe County residents; data as of 4/4/2023.

176,521 doses reported as administered per 100,000 population

71,600 (71.6% of population) vaccinations reported as initiated per 100,000 population

63,260 (63.3% of population) vaccinations reported as completed primary series per 100,000 population

75.4% of population 5 years and older initiated vaccination

64.3% of population 5 years and older completed primary series of vaccination

Figure 6. Percent of the Population with a Completed Primary Series and Population with a Completed Primary Series that has Received a Booster Dose, Washoe County, 2023




Table 5. Percentage of Population with a Completed Primary Series and Percentage of Population that has Received a Booster Dose by Sex, Age Group, and Race/Ethnicity*, Washoe County, 2021-2023

| Select Demographics | | % Population with a Completed Primary Series | % Population with a Booster Dose | |
|---------------------|---|--|----------------------------------|--|
| Sex | Female | 65.7% | 36.0% | |
| Sex | Male | 60.8% | 30.2% | |
| | 0-17 years | 32.4% | 10.3% | |
| | 18-29 years | 59.5% | 19.9% | |
| Age Group | 30-49 years | 67.1% | 31.3% | |
| Стопр | 50-64 years | 78.7% | 48.0% | |
| | 65+ years | 85.2% | 64.1% | |
| | American Indian/Alaska Native, Non-Hispanic** | 37.3% | 22.3% | |
| Race / | Asian/Native Hawaiian/Other Pacific Islander, Non-Hispanic | 42.9% | 24.2% | |
| Ethnicity* | Black, Non-Hispanic | 36.0% | 15.1% | |
| | Hispanic | 48.5% | 18.6% | |
| | White, Non-Hispanic | 49.2% | 26.7% | |

^{*}Note: 24.2% of the total vaccinated population were recorded as "Unknown" or "Other" and therefore population percentages are unable to be calculated for those categories.

- In Washoe County, the age group with the highest vaccination rates are those 65+ years, with 85.2% of the population having completed their primary series and 64.1% of the population having received a booster dose.
- Those who identify as White, Non-Hispanic have the highest vaccination rates with 49.2% of the population having completed their primary series and 26.7% of the population having received a booster dose.

Table 6. Percentage of Total Population with a Completed Primary Series and those that have Received an Updated (Bivalent) Booster Dose in Washoe County, Nevada, and the United States, 2021-2023


| | % Population with a Completed Primary Series | % Population with an Updated (Bivalent) Booster Dose | | | |
|-----------------|---|--|--|--|--|
| United States* | 69.4% | 16.7% | | | |
| Nevada* | 63.8% | 12.7% | | | |
| Washoe County** | 63.3% | 13.3% | | | |

^{*} Data Source: https://covid.cdc.gov/covid-data-tracker/#vaccinations_vacc-people-fully-percent-total as of 4/5/2023.

^{**}Note: Tribal populations may be underrepresented as the data source does not include Indian Health Services (IHS) data, which may contain vaccination records for tribal members and those who access services through IHS clinics.

^{**} Data Source: WebIZ as of 4/4/2023.


Figure 7. Percent of the Total Population with a Completed Primary Series Reported to CDC by Jurisdictions and Select Federal Entities



 ${\tt Data}\ for\ {\tt Federal}\ {\tt Entities}\ are\ presented\ here\ and\ are\ also\ incorporated\ into\ the\ respective\ jurisdictional\ totals$

Data source for U.S. map for people with a completed primary series reported to the CDC, data as of 4/5/2023 6:00 AM ET. Posted: April 6, 2023, CDC COVID Data Tracker https://covid.cdc.gov/covid-data-tracker/#vaccinations_vacc-people-fully-percent-total

Figure 8. Percent of the Total Population with an Updated (Bivalent) Booster Dose Reported to CDC by Jurisdictions and Select Federal Entities



 ${\sf Data}\ for\ {\sf Federal}\ {\sf Entities}\ are\ presented\ here\ and\ are\ also\ incorporated\ into\ the\ respective\ jurisdictional\ totals$

Data source for U.S. map for people with an updated (bivalent) booster dose reported to the CDC, data as of 4/5/2023 6:00 AM ET. Posted: April 6, 2023, CDC COVID Data Tracker https://covid.cdc.gov/covid-data-tracker/#vaccinations_vacc-people-booster-percent-total

Surveillance Data

Percentage of persons indicating COVID-19 as the reason for visit to the Emergency Room (ER) is presented in Figure 9. The overlay below depicts COVID-19 in blue. Alerts appear as yellow and/or red dots. They indicate an unusually high percentage of COVID-19 visits according to ESSENCE algorithms.

Daily Percentage 4.25 4.00 3.75 3.50 3.25 3.00 2.75 2.50 2.25 2.00 1.75 1.50 1.25 1.00 0.75 0.50 0.25 0.00 Data: Normal Data: Warning Data: Alert

Figure 9. Percentage of ER Visits Due to COVID in the Last Year, Washoe County

Data source: ESSENCE

Glossary/Key Terms

COVID-19 Case

Coronavirus Disease 2019 (COVID-19) cases counted in this document are confirmed or probable cases as determined by meeting confirmatory laboratory evidence, clinical criteria, and/or epidemiologic linkage as defined on the CDC website here: https://ndc.services.cdc.gov/case-definitions/coronavirus-disease-2019-2021/

COVID-19 Hospitalization

COVID-19 hospitalizations are counted as those hospitalized for greater than or equal to 24 hours and have a positive SARS-CoV-2 laboratory test.

As of October 2022, this includes any patient with a positive result on a SARS-CoV-2 laboratory test collected from 14 days before through three days after hospital admission.

COVID-19 Death

As of January 1, 2022, both Confirmed and Probable COVID-19-associated deaths are included in the count.

• (https://cdn.ymaws.com/www.cste.org/resource/resmgr/pdfs/pdfs2/20211222_int erim-guidance.pdf)

Criteria for confirmed case death:

- The case meets the confirmed COVID-19 surveillance case definition, AND at least ONE of the following criteria is met:
 - A case investigation determined that COVID-19 was the cause of death or contributed to the death.
 - The death certificate indicates COVID-19 or an equivalent term as one of the causes of death, regardless of the time elapsed since specimen collection of the confirmatory laboratory test used to define the case.
 - The death occurred within (and including) 30 days of specimen collection for the confirmatory laboratory test used to define the case and was due to natural causes (e.g., the Manner of Death is coded as "natural" on the death certificate.)

Criteria for probable case death:

- The case meets the probable COVID-19 case definition AND a case investigation determined that COVID-19 was the cause of death or contributed to the death; **OR**
- The case meets the probable COVID-19 surveillance case definition based on presumptive laboratory evidence AND death occurred within (and including) 30 days of specimen collection and was due to natural causes (e.g., the Manner of Death is coded as "natural" on the death certificate.); **OR**
- The case meets the probable COVID-19 surveillance case definition based on epidemiologic linkage and meeting clinical criteria, AND death occurred within (and including) 30 days of symptom onset and was due to natural causes (e.g., the Manner of Death is coded as "natural" on the death certificate.); **OR**

 The case meets the probable COVID-19 surveillance case definition based only on vital records criteria (i.e., a death certificate that lists COVID-19 disease or SARS-CoV-2 or an equivalent term as an underlying cause of death or a significant condition contributing to death and there is no confirmatory or presumptive laboratory evidence.)

Links

WCHD COVID Dashboard

https://washoe.maps.arcgis.com/apps/dashboards/0db36fa8fa9c47758bc38210e4c2 3818

WCHD website for COVID information and vaccine appointments https://covid19washoe.com/

CDC COVID Data Tracker https://covid.cdc.gov/covid-data-tracker/

Nevada State Public Health Laboratory created a new COVID-19 variant web page https://www.nvsarscov2variant.com/variants

Department of Health and Human Services Nevada Division of Public and Behavioral Health (DPBH) Technical Bulletins

https://dpbh.nv.gov/Resources/Technical_Bulletins-New/

WCHD COVID reports https://covid19washoe.com/daily-updates/washoe-county-covid-19-data-report/

CD Annual Report for 2021

https://www.washoecounty.gov/health/files/ephp/communicable-diseases/annual-summary/Publication_Final.pdf